
**SADLIER** 

## **Progress**Mathematics

Standards-Based Instruction & Practice



#### Aligned to the

# Georgia Standards of Excellence 2015–2016: Mathematics

### **Grade 8**

#### Contents

The Number System	2
Expressions and Equations	2
Functions	4
Geometry	6
Statistics and Probability	7





#### The Number System

**8.NS** 

STANDARDS		SADLIER PRO	GRESS MATHEMATICS, GRADE 8
	there are numbers that are not approximate them by rational		
MGSE8.NS.1	Know that numbers that are not rational are called irrational. Understand informally that every number has a decimal expansion; for rational numbers show that the decimal expansion repeats eventually, and convert a decimal expansion which repeats eventually into a rational number.	Lesson 1	Understand Rational and Irrational Numbers—pp. 10–17
MGSE8.NS.2	Use rational approximation of irrational numbers to compare the size of irrational numbers, locate them approximately on a number line, and estimate the value of expressions (e.g., estimate $\pi^2$ to the nearest tenth). For example, by truncating the decimal expansion of $\sqrt{2}$ (square root of 2), show that $\sqrt{2}$ is between 1 and 2, then between 1.4 and 1.5, and explain how to continue on to get better	Lesson 2	Use Rational Approximations of Irrational Numbers—pp. 18–25

#### **Expressions and Equations**

approximations.

**8.EE** 

Express	sions and Equations		8.EE
STANDARDS		SADLIER PRO	GRESS MATHEMATICS, GRADE 8
Work with	radicals and integer exponents.		
exponents to gen	Know and apply the properties of integer exponents to generate equivalent numerical expressions. For example, $3^2 \times 3^{(-5)} = 3^{(-3)} =$	Lesson 3	Understand Zero and Negative Exponent—pp. 32–39
	·	Lesson 4	Learn Properties of Exponents—pp. 40-47
		Lesson 5	Use Properties of Exponents Generate Equivalent Expressions—pp. 48–55
MGSE8.EE.2	Use square root and cube root symbols to represent solutions to equations. Recognize that $x^2 = p$ (where p is a positive rational number and $ x  \le 25$ ) has 2 solutions and $ x  \le 25$ has 3 solutions. Evaluate square roots of perfect squares $ x  \le 25$ and cube roots of perfect cubes $ x  \le 25$ and cube roots of perfect cubes $ x  \le 25$ and $ x  \le 25$ has 2 solutions	Lesson 6	<b>Evaluate Square Roots and Cube Roots</b> —pp. 56–63
		Lesson 7	Solve Simple Equations Involving Squares and Cubes—pp. 64–71



#### **Expressions and Equations**

8.EE

Standards		SADLIER PROGRESS MATHEMATICS, GRADE 8	
MGSE8.EE.3	Use numbers expressed in scientific notation to estimate very large or very small quantities, and to express how many times as much one is than the other. For example, estimate the population of the United States as $3 \times 10^8$ and the population of the world as $7 \times 10^9$ , and determine that the world population is more than 20 times larger.	Lesson 8	Estimate and Compare Large or Small Quantities—pp. 72–79
MGSE8.EE.4	Add, subtract, multiply and divide numbers expressed in scientific notation, including problems where both decimal and scientific notation are used. Understand scientific notation and choose units of appropriate size for measurements of very large or very small quantities (e.g. use millimeters per year for seafloor spreading). Interpret scientific notation that has been generated by technology (e.g. calculators).	Lesson 9	Calculate with Numbers in Scientific Notation—pp. 80–87
	d the connections between al relationships, lines, and linear		
MCC.8.EE.5	Graph proportional relationships, interpreting the unit rate as the slope of the graph. Compare two different proportional relationships represented in different ways. For example, compare a distance-time graph to a distance-time equation to determine which of two moving objects has greater speed.	Lesson 10	Understand Proportional Relationships and Slope—pp. 88–95
MGSE8.EE.6	Use similar triangles to explain why the slope m is the same between any two distinct	Lesson 11	Understand Slope—pp. 96–103
	points on a non-vertical line in the coordinate plane; derive the equation $y = mx$ for a line through the origin and the equation $y = mx + b$ for a line intercepting the vertical axis at $b$ .	Lesson 12	Write Equations for Lines—pp. 104–111
	d solve linear equations and pairs of ous linear equations.		
MGSE8.EE.7	Solve linear equations in one variable.		
	MGSE8.EE.7a Give examples of linear equations in one variable with one solution, infinitely many solutions, or no solutions. Show which of these possibilities is the case by successively	Lesson 13	Solve Linear Equations—pp. 112–119



#### **Expressions and Equations**

8.EE

Standards		SADLIER PROGRESS MATHEMATICS, GRADE 8	
	— continued from previous page —		
	equation of the form $x = a$ , $a = a$ , or $a = b$ results (where $a$ and $b$ are different numbers).		
	MGSE8.EE.7b Solve linear equations with rational number coefficients, including equations whose solutions require expanding expressions using the distributive property and collecting like terms.	Lesson 13	Solve Linear Equations—pp. 112–119
MGSE8.EE.8	Analyze and solve pairs of simultaneous linear equations (systems of linear equations).		
	MGSE8.EE.8a Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously.	Lesson 14	Solve Systems of Equations—pp. 120–127
	<b>MGSE8.EE.8b</b> Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. For example, $3x + 2y = 5$ and $3x + 2y = 6$ have no solution because $3x + 2y$ cannot simultaneously be 5 and 6.	Lesson 14	Solve Systems of Equations—pp. 120–127
	MGSE8.EE.8c Solve real-world and mathematical problems leading to two linear equations in two variables. For example, given coordinates for two pairs of points, determine whether the line through the first pair of points intersects the line through the second pair.	Lesson 15	Problem-Solving: Systems of Equations—pp. 128–135

Functions 8.F

STANDARDS		SADLIER PRO	gress Mathematics, Grade 8
Define, eva	aluate, and compare functions.		
MGSE8.F.1	Understand that a function is a rule that assigns to each input exactly one output. The	Lesson 16	Understand Functions—pp. 142–149
	graph of a function is the set of ordered pairs consisting of an input and the corresponding output.	Lesson 17	Represent Functions—pp. 150–157



#### Functions 8.F

STANDARDS		SADLIER PROG	GRESS MATHEMATICS, GRADE 8
MGSE8.F.2	Compare properties of two functions each represented in a different way (algebraically,	Lesson 17	Represent Functions—pp. 150–157
	graphically, numerically in tables, or by verbal descriptions). For example, given a linear function represented by a table of values and a linear function represented by an algebraic expression, determine which function has the greater rate of change.	Lesson 18	Compare Functions—pp. 158–165
MGSE8.F.3	Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. For example, the function $A = s^2$ giving the area of a square as a function of its side length is not linear because its graph contains the points (1,1), (2,4) and (3,9), which are not on a straight line.	Lesson 19	Investigate Linear and Non-Linear Functions—pp. 166–173
Use functi quantities	ons to model relationships between		
MGSE8.F.4	Construct a function to model a linear relationship between two quantities.  Determine the rate of change and initial value	Lesson 20	<b>Use Functions to Model Relationships</b> —pp. 174–181
	of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values.	Lesson 21	<b>Problem Solving: Use Linear Models</b> —pp. 182–189
MGSE8.F.5	Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally.	Lesson 22	Analyze Graphs of Functions—pp. 190–197



Geometry 8.0

Standards		SADLIER PROG	GRESS MATHEMATICS, GRADE 8
	d congruence and similarity using odels, transparencies, or geometry		
MGSE8.G.1	Verify experimentally the congruence properties of rotations, reflections, and translations: lines are taken to lines and line	Lesson 23	Verify Properties of Reflections and Translations—pp. 204–211
	segments to lines are taken to lines and line segments to line segments of the same length; angles are taken to angles of the same measure; parallel lines are taken to parallel lines.	Lesson 24	Verify Properties of Rotations—pp. 212-219
MGSE8.G.2	Understand that a two-dimensional figure is congruent to another if the second can be obtained from the first by a sequence of rotations, reflections, and translations; given two congruent figures, describe a sequence that exhibits the congruence between them.	Lesson 25	Understand and Identify Congruent Figures—pp. 220–227
MGSE8.G.3	Describe the effect of dilations, translations, rotations, and reflections on two-dimensional figures using coordinates.	Lesson 26	Reflect and Translate Figures on the Coordinate Plane—pp. 228–235
	ngures using coordinates.	Lesson 27	Rotate Figures on the Coordinate Plane—pp. 236–243
		Lesson 28	<b>Dilate Figures on the Coordinate Plane</b> —pp. 244–251
MGSE8.G.4	Understand that a two-dimensional figure is similar to another if the second can be obtained from the first by a sequence of rotations, reflections, translations, and dilations; given two similar two-dimensional figures, describe a sequence that exhibits the similarity between them.	Lesson 29	Identify Similar Figures—pp. 252–259
MGSE8.G.5	Use informal arguments to establish facts about the angle sum and exterior angle of	Lesson 30	Establish Facts about Parallel Lines and Angles—pp. 260–265
	triangles, about the angles created when parallel lines are cut by a transversal, and the angle-angle criterion for similarity of triangles. For example, arrange three copies of the same triangle so that the sum of the three angles appears to form a line, and give an argument in terms of transversals why this is so.	Lesson 31	Establish Facts about Triangles and Angles—pp. 266–275



Geometry	8.G
----------	-----

0000	,		
Standards		SADLIER PROC	GRESS MATHEMATICS, GRADE 8
Understan Theorem.	d and apply the Pythagorean		
MGSE8.G.6	Explain a proof of the Pythagorean Theorem and its converse.	Lesson 32	Understand the Pythagorean Theorem—pp. 276–283
		Lesson 33	Understand the Converse of the Pythagorean Theorem—pp. 284–291
MGSE8.G.7	Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real-world and mathematical problems in two and three dimensions.	Lesson 34	Problem Solving: The Pythagorean Theorem—pp. 292–299
MGSE8.G.8	Apply the Pythagorean Theorem to find the distance between two points in a coordinate system.	Lesson 35	Calculate Distances in the Coordinate Plane—pp. 300–307
	world and mathematical problems volume of cylinders, cones, and		
MGSE8.G.9	Apply the formulas for the volume of cones, cylinders, and spheres and use them to solve real-world and mathematical problems.	Lesson 36	<b>Learn and Apply Volume Formulas</b> —pp. 308–315
Statisti	cs and Probability		8.SP
STANDARDS		SADLIER PROC	GRESS MATHEMATICS, GRADE 8
Investigate data.	e patterns of association in bivariate		
MGSE8.SP.1	Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or negative association, linear association, and nonlinear association.	Lesson 37	Construct and Interpret Scatter Plots—pp. 322–329
MGSE8.SP.2	Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line.	Lesson 38	Fit Linear Models to Data—pp. 330–337



#### Statistics and Probability

8.SP

Standards		SADLIER PROC	SADLIER PROGRESS MATHEMATICS, GRADE 8	
MGSE8.SP.3	Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. For example, in a linear model for a biology experiment, interpret a slope of 1.5 cm/hr as meaning that an additional hour of sunlight each day is associated with an additional 1.5 cm in mature plant height.	Lesson 39	<b>Problem Solving: Use Linear Models</b> —pp. 338–345	
MGSE8.SP.4	Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table.			
	Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects.	Lesson 40	<b>Analyze Data in Two-Way Tables</b> —pp. 346–353	
	b. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. For example, collect data from students in your class on whether or not they have a curfew on school nights and whether or not they have assigned chores at home. Is there evidence that those who have a curfew also tend to have chores?	Lesson 40	Analyze Data in Two-Way Tables—pp. 346–353	