
### Sadlier School

## Sadlier Math<sup>™</sup>

Correlation to the Mathematics Standards for the Archdiocese of Detroit

Grade 4



Learn more at www.SadlierSchool.com/SadlierMath

Grade 4	
	:
	:
	:
	:

Sadlier School

### OPERATIONS AND ALGEBRAIC THINKING

Use the four operations with whole numbers to solve problems.

#### **Grade 4 Content Standards**

#### Sadlier Math, Grade 4

## **4.0A.A.1** Interpret a multiplication equation as a comparison, e.g., interpret 35 = 5 × 7 as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. Represent verbal

statements of multiplicative comparisons as

multiplication equations.

Chapter 4: 4-5

Chapter 5: 5-5

**4.0A.A.2** Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison.

Chapter 4: 4-5 Chapter 5: 5-5 Chapter 7: 7-6

- Chapter 8: 8-8
- **4.0A.A.3** Solve multistep word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.

Chapter 2: 2-1 through 2-3

Chapter 3: 3-1 & 3-6

Chapter 4: 4-4 Chapter 7: 7-3

. Chapter 8: 8-1 & 8-3

#### Gain familiarity with factors and multiples.

**4.OA.B.4** Find all factor pairs for a whole number in the range 1-144. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the range 1-144 is a multiple of a given one-digit number. Determine whether a given whole number in the range 1-144 is prime or composite.

Chapter 9: 9-1 through 9-5

**Grade 4 Content Standards** 

Sadlier Math, Grade 4

#### Generate and analyze patterns.

**4.OA.C.5** Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. For example, given the rule "Add 3" and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. Explain informally why the numbers will continue to alternate in this way.

Chapter 7: 7-5 Chapter 17: 17-5

#### NUMBER AND OPERATIONS IN BASE TEN

**Grade 4 Content Standards** 

Sadlier Math, Grade 4

#### Generalize place value understanding for multi-digit whole numbers.

**4.NBT.A.1** Recognize that in a multi-digit whole number, a digit in one place represents ten times what it represents in the place to its right. For example, recognize that 700 ÷ 70 = 10 by applying concepts of place value and division.

Chapter 1: 1-2 & 1-3

**4.NBT.A.2** Read and write multi-digit whole numbers using base-ten numerals, number names, and expanded form. Compare two multi-digit numbers based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons.

Chapter 1: 1-1 through 1-6

**4.NBT.A.3** Use place value understanding to round multi-digit whole numbers to any place.

**Chapter 1: 1-5** 

**4.NBT.A.4** Read and write numbers to 1,000,000; relate them to the quantities they represent; compare and order.

Chapter 1: 1-2 & 1-6

Se
ä
æ
Ö
ē
- 5
Ε.
ö
ŧ
Ĕ
0
2
7
Ë
.≌
8
ž
>
Ų.
Q
8
큐
ĕ
à
ē
e
-
á
Š
Ö
ě
9
ese
7
ts
9
_
=
4
2
ē
0
adji
ő
Ĭ
Ε
3
-
70
¥
eme
Jema
eme
Jema
is a tradema
is a tradema
ı™ is a tradema
ath" is a tradema
ı™ is a tradema
er Math" is a tradema
llier Math" is a tradema
llier Math" is a tradema
Sadlier Math™ is a tradema
Sadlier Math™ is a tradema
nc. Sadlier Math™ is a tradema
er. Inc. Sadlier Math" is a tradema
lier. Inc. Sadlier Math™ is a tradema
adlier. Inc. Sadlier Math™is a tradema
Sadlier. Inc. Sadlier Math is a tradema
adlier. Inc. Sadlier Math™is a tradema
n H. Sadlier. Inc. Sadlier Math™ is a tradema
am H. Sadlier. Inc. Sadlier Math™ is a tradema
am H. Sadlier. Inc. Sadlier Math™ is a tradema
William H. Sadlier. Inc. Sadlier Math™ is a tradema
am H. Sadlier. Inc. Sadlier Math™ is a tradema
William H. Sadlier. Inc. Sadlier Math™ is a tradema
rks of William H. Sadlier. Inc. Sadlier Math™is a tradema
rks of William H. Sadlier. Inc. Sadlier Math™is a tradema
emarks of William H. Sadlier. Inc. Sadlier Math" is a tradema
emarks of William H. Sadlier. Inc. Sadlier Math" is a tradema
trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
d trademarks of William H. Sadlier. Inc. Sadlier Math™is a tradema
trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
stered trademarks of William H. Sadlier. Inc. Sadlier Math" is a tradema
stered trademarks of William H. Sadlier. Inc. Sadlier Math" is a tradema
distered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
e registered trademarks of William H. Sadlier. Inc. Sadlier Math" is a tradema
distered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
are registered trademarks of William H. Sadlier. Inc. Sadlier Math'' is a tradema
er" are registered trademarks of William H. Sadlier. Inc. Sadlier Math" is a tradema
llier® are registered trademarks of William H. Sadlier. Inc Sadlier Math''' is a tradema
adlier® are registered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
Sadlier® are registered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
Sadlier® are registered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
and Sadlier® are registered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
Sadlier® are registered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema
and Sadlier® are registered trademarks of William H. Sadlier. Inc. Sadlier Math™ is a tradema

Grade 4 Content Standards	Sadlier Math, Grade 4
<b>1.NBT.A.5</b> Compose and decompose numbers using place value to 1,000,000; write numbers in expanded notation.	Chapter 1: 1-3 & 1-4

Use place value understanding and properties of operations to perform multi-digit arithmetic.	
<b>4.NBT.B.6</b> Fluently add and subtract multi-digit whole numbers using the standard algorithm.	Chapter 2: 2-2, 2-4 through 2-6 Chapter 3: 3-2 through 3-5
4.NBT.B.7 Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Chapter 4: 4-1 through 4-3 Chapter 5: 5-1 through 5-5 Chapter 6: 6-1 through 6-5 Chapter 8: 8-7
<b>4.NBT.B.7a</b> Multiply two two-digit numbers, using strategies based on place value and the properties of operations.	Chapter 6: 6-1 through 6-5
<b>4.NBT.B.7b</b> Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Chapter 4: 4-1 through 4-3 Chapter 5: 5-1 through 5-5
4.NBT.B.8 Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/ or the relationship between multiplication and division.	Chapter 7: 7-1, 7-2 & 7-4
<b>4.NBT.B.8b</b> Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	Chapter 8: 8-1 through 8-7
<b>4.NBT.B.9</b> Find all factors of any whole number through 50, list factor pairs, and determine if a one-digit number is a factor of a given whole number	Chapter 9: 9-1 & 9-2

_
All rights reserved. May be reproduced for educational use (not commercial use
William H. Sadlier, Inc.
Sadlier Math" is a trademark of
/illiam H. Sadlier, Inc.
® are registered trademarks of M
and Sadlier

NUMBER AND OPERATIONS IN BASE TEN	
Grade 4 Content Standards	Sadlier Math, Grade 4
<b>4.NBT.B.10</b> List the first 12 multiples of a given-one-digit whole number; determine if a whole number is a multiple of a given one-digit whole number.	Chapter 9: 9-4 & 9-5
<b>4.NBT.B.11</b> Know that some numbers have exactly two factors and are called prime numbers. All other numbers are called composite.	Chapter 9: 9-3
<b>4.NBT.B.12</b> Use factors and multiples to compose and decompose whole numbers.	Chapter 9: 9-1 through 9-5
<b>4.NBT.B.13</b> Add and subtract basic whole numbers fluently (ex. 2 + 2, 8 + 7, 4 + 9).	Chapter 2: 2-1 through 2-6 Chapter 3: 3-1 through 3-6

#### **NUMBER AND OPERATIONS — FRACTIONS**

Extend understanding of fraction equivalence and ordering.

Grade 4 Content Standards	Sadlier Math, Grade 4

## **4.NF.A.1** Explain why a fraction a/b is equivalent to a fraction $(n \times a)/(n \times b)$ by using visual fraction models, with attention to how the number and size of the parts differ even though

#### Chapter 10: 10-1 through 10-6

the two fractions themselves are the same size	€.
4.NF.A.1a Recognize and generate equivalent	
fractions.	

Chapter 10: 10-2 through 10-4

**4.NF.A.2** Compare two fractions with different numerators and different denominators, e.g., by creating common denominators (ex 1/4, 3/4) or numerators (ex. 3/4, 3/5), or by comparing to a benchmark fraction such as 1/2.

Chapter 10: 10-7 through 10-11

**4.NF.A.2a** Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with continued

Chapter 10: 10-6 through 10-8

All rights reserved. May be reproduced for educational use (not commercial use).
. Sadlier Math™ is a trademark of William H. Sadlier. Inc.
3 and Sadlier are registered trademarks of William H. Sadlier. Inc.

NUMBER AND OPERATIONS — FRACTIONS	
Grade 4 Content Standards	Sadlier Math, Grade 4
symbols >, =, or <, and justify the conclusions, e.g., by using a visual fraction model, written explanation, or numerical comparison.	
Build fractions from unit fractions.	
<b>4.NF.B.3</b> Understand a fraction $a/b$ with $a > 1$ as a s	sum of fractions 1/b.
<b>4.NF.B.3a</b> Understand addition and subtraction of fractions as joining and separating parts referring to the same whole.	Chapter 11: 11-1 through 11-5
<b>4.NF.B.3b</b> Decompose a fraction into a sum of fractions with the same denominator in more than one way, recording each decomposition by an equation. Justify decompositions, e.g., by using a visual fraction model. <i>Examples:</i> $3/8 = 1/8 + 1/8 + 1/8 ; 3/8 = 1/8 + 2/8 ; 2 1/8 = 1 + 1 + 1/8 = 8/8 + 8/8 + 1/8.$	Chapter 11: 11-2 through 11-4
<b>4.NF.B.3c</b> Add and subtract mixed numbers with like denominators, e.g., by replacing each mixed number with an equivalent fraction, and/or by using properties of operations and the relationship between addition and subtraction.	Chapter 10: 10-9 Chapter 11: 11-6 through 11-8
<b>4.NF.B.3d</b> Solve word problems involving addition and subtraction of fractions referring to the same whole and having like denominators, e.g., by using visual fraction models and equations to represent the problem.	Chapter 11: 11-1 through 11-5
<b>4.NF.B.4</b> Apply and extend previous understanding whole number.	gs of multiplication to multiply a fraction by a
<b>4.NF.B.4a</b> Understand a fraction <i>a/b</i> as a multiple of 1/ <i>b. For example, use a visual continued</i>	Chapter 12: 12-1 through 12-4

All rights reserved. May be reproduced for educational use (not commercial use).
. Sadlier Math™ is a trademark of William H. Sadlier, Inc.
and Sadlier® are registered trademarks of William H. Sadlier. Inc.

NUMBER AND OPERATIONS — FRACTIONS			
Grade 4 Content Standards	Sadlier Math, Grade 4		
fraction model to represent $5/4$ as the product $5 \times (1/4)$ , recording the conclusion by the equation $5/4 = 5 \times (1/4)$ .			
<b>4.NF.B.4b</b> Understand a multiple of $a/b$ as a multiple of $1/b$ , and use this understanding to multiply a fraction by a whole number. For example, use a visual fraction model to express $3 \times (2/5)$ as $6 \times (1/5)$ , recognizing this product as $6/5$ . (In general, $n \times (a/b) = (n \times a)/b$ .)	Chapter 12: 12-1 through 12-5		
<b>4.NF.B.4c</b> Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. For example, if each person at a party will eat 3/8 of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed? Between what two whole numbers does your answer lie?	Chapter 12: 12-1 through 12-7		

#### Understand decimal notation for fractions, and compare decimal fractions. 4.NF.C.5 Express a fraction with denominator 10 **Chapter 13: 13-1 through 13-5** as an equivalent fraction with denominator 100, and use this technique to add two fractions with respective denominators 10 and 100. For example, express 3/10 as 30/100, and add 3/10 + 4/100 = 34/100. 4.NF.C.6 Use decimal notation for fractions with Chapter 13: 13-3 through 13-5 denominators 10 or 100. For example, rewrite 0.62 as 62/100; describe a length as 0.62 meters; locate 0.62 on a number line diagram. 4.NF.C.7 Compare two decimals to hundredths Chapter 13: 13-6 & 13-7 by reasoning about their size. Recognize that comparisons are valid only when the two continued

Sadlier Math, Grade 4

=
.00
ē
Ξ
든
ខ
ŏ
٤
98
š
a
5
£,
걸
ಕ
e e
9
ō
8
굮
ō
Ξ.
2
å
>
-B
-
9
کِ
Se
ě
Ś
포
.0
=
⋖
2
<u>e</u>
ad
Ö
Ï
۶
ā
≡
≥
of W
k of W
ark of W
mark of W
demark of W
rademark of W
a trademark of W
is a trademark of W
" is a trademark of W
th" is a trademark of W
Math™ is a trademark of W
r Math™ is a trademark of W
lier Math" is a trademark of W
adlier Math" is a trademark of W
Sadlier Math" is a trademark of W
Sadlier Math" is a trademark of W
nc. Sadlier Math™ is a trademark of W
.Inc. Sadlier Math" is a trademark of W
er. Inc. Sadlier Math" is a trademark of W
dlier. Inc. Sadlier Math™ is a trademark of W
Sadlier, Inc. Sadlier Math." is a trademark of W
! Sadlier, Inc. Sadlier Math" is a trademark of W
H. Sadlier, Inc. Sadlier Math" is a trademark of W
m H. Sadlier, Inc. Sadlier Math." is a trademark of W
liam H. Sadlier, Inc. Sadlier Math" is a trademark of W
William H. Sadlier, Inc. Sadlier Math" is a trademark of W
f William H. Sadlier. Inc. Sadlier Math™ is a trademark of W
of William H. Sadlier, Inc. Sadlier Math." is a trademark of W
ks of William H. Sadlier. Inc. Sadlier Math." is a trademark of W
arks of William H. Sadlier. Inc. Sadlier Math." is a trademark of W
marks of William H. Sadlier, Inc. Sadlier Math" is a trademark of W
demarks of William H. Sadlier, Inc. Sadlier Math™ is a trademark of W
rademarks of William H. Sadlier, Inc. Sadlier Math." is a trademark of W
d trademarks of William H. Sadlier. Inc. Sadlier Math" is a trademark of W
red trademarks of William H. Sadlier. Inc. Sadlier Math™ is a trademark of W
tered trademarks of William H. Sadlier. Inc. Sadlier Math" is a trademark of W
istered trademarks of William H. Sadlier, Inc. Sadlier Math" is a trademark of W
egistered trademarks of William H. Sadlier, Inc. Sadlier Math." is a trademark of W
e registered trademarks of William H. Sadlier. Inc. Sadlier Math" is a trademark of W
are registered trademarks of William H. Sadlier. Inc. Sadlier Math." is a trademark of W
er® are registered trademarks of William H. Sadlier. Inc. Sadlier Math" is a trademark of W
0
adlier® are registered trademarks of William H. Sadlier, Inc. Sadlier Math" is a trademark of W
Sadlier
Sadlier
Jie.

NUMBER AND OPERATIONS — FRACTIONS		
Grade 4 Content Standards	Sadlier Math, Grade 4	
decimals refer to the same whole. Record the results of comparisons with the symbols >, =, or <, and justify the conclusions, e.g., by using a visual model.		
<b>4.NF.C.8</b> Multiply and divide decimals up to two decimal places by a one-digit whole number where the result is a terminating decimal.	See Grade 5 Chapter 12: 12-2 Chapter 13: 13-2	
4.NF.C.9 Add and subtract all decimal numbers.	See Grade 5 Chapter 10: 10-1 through 10-7 Chapter 11: 11-1 through 11-6	

#### Solve problems involving measurement and conversion of measurements. **4.MD.A.1** Know relative sizes of measurement Chapter 14: 14-1 through 14-10 units within one system of units including km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec. Within a single system of measurement, express measurements in a larger unit in terms of a smaller unit. Record measurement equivalents in a two- column table. For example, know that 1 ft is 12 times as long as 1 in. Express the length of a 4 ft snake as 48 in. Generate a conversion table for feet and inches listing the number pairs (1, 12), (2, 24), (3, 36), ... **4.MD.A.2** Use the four operations to solve word Chapter 14: 14-1 through 14-9 problems involving distances, intervals of time, Chapter 15: 15-1 through 15-3 liquid volumes, masses of objects, and money, including problems involving simple fractions or decimals, and problems that require expressing measurements given in a larger unit in terms of a smaller unit. Represent measurement continued

**MEASUREMENT AND DATA** 

**Grade 4 Content Standards** 

	All rights reserved. May be reproduced for educational use (not commercial use).
	Sadlier Math" is a trademark of William H. Sadlier, Inc.
	and Sadlier" are registered trademarks of William H. Sadlier, Inc.

Sadlier Math, Grade 4
caunor riam, crace r
Chapter 17: 17-6 & 17-7
Chapter 14: 14-1 through 14-8
Chapter 15: 15-4
See Grade 6 Chapter 15: 15-2 & 15-3
Chapter 15: 15-2 & 15-3

# of measurements in fractions of a unit (1/2, 1/4, 1/8). Solve problems involving addition and subtraction of fractions by using information presented in line plots. For example, from a line

**4.MD.B.8** Make a line plot to display a data set

presented in line plots. For example, from a line plot find and interpret the difference in length between the longest and shortest specimens in an insect collection.

**4.MD.B.8a** Recognize and interpret dot plots, circle graphs, stem and leaf plots, histograms, box and whisker plots.

## Chapter 15: 15-6 & 15-7

See Grade 6

Chapter 17: 17-1 through 17-3, 17-5

		All rights reserved. May be reproduced for educational use (not commercial use).
		Sadlier Math" is a trademark of William H. Sadlier, Inc.
		d trademarks of William H. Sadlier, Inc.

Sadlier School

MEASUREMENT AND DATA			
Grade 4 Content Standards	Sadlier Math, Grade 4		
Geometric measurement: understand concepts of	of angle and measure angles.		
<b>4.MD.C.9</b> Recognize angles as geometric shapes that are formed wherever two rays share a common endpoint, and understand concepts of angle measurement:			
<b>4.MD.C.9a</b> An angle is measured with reference to a circle with its center at the common endpoint of the rays, by considering the fraction of the circular arc between the points where the two rays intersect the circle. An angle that turns through 1/360 of a circle is called a "one-degree angle," and can be used to measure angles.	Chapter 16: 16-2		
<b>4.MD.C.9b</b> An angle that turns through <i>n</i> one-degree angles is said to have an angle measure of <i>n</i> degrees.	Chapter 16: 16-1 & 16-2		
<b>4.MD.C.10</b> Measure angles in whole-number degrees using a protractor. Sketch angles of specified measure.	Chapter 16: 16-1 through 16-3		
<b>4.MD.C.11</b> Recognize angle measure as additive.  When an angle is decomposed into non- overlapping parts, the angle measure of the whole is the sum of the angle measures of	Chapter 16: 16-4		

the parts. Solve addition and subtraction

unknown angle measure.

problems to find unknown angles on a diagram in real world and mathematical problems, e.g., by using an equation with a symbol for the **GEOMETRY** 

		seemed. May be reproduced for educational use (not commercial use)
		Inc All rights re
		Sadiar Math™ is a trademark of William H. Sadia
		polistered trademarks of William H. Sadlier Inc.

Sadlier School

GEOMETRY		
Grade 4 Content Standards	Sadlier Math, Grade 4	
Draw and identify lines and angles, and classify shapes by properties of their lines and angles.		
<b>4.G.A.1</b> Draw points, lines, line segments, rays, angles (right, acute, obtuse), and perpendicular and parallel lines. Identify these in two-dimensional figures.	Chapter 16: 16-1 through 16-6	
<b>4.G.A.2</b> Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles.	Chapter 17: 17-1 through 17-3	
<b>4.G.A.3</b> Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line-symmetric figures and draw lines of symmetry.	Chapter 17: 17-4	
<b>4.G.A.4</b> Identify basic geometric shapes including isosceles, equilateral and right triangles and use their properties to solve problems.	See Grade 5 Chapter 15: 15-2	
<b>4.G.A.5</b> Identify and count the faces, edges and vertices of basic three-dimensional geometric solids including cubes, rectangular prisms, and pyramids; describe the shape of their faces.	See Grade 5 Chapter 16: 16-1	
<b>4.G.A.6</b> Recognize rigid motion transformations (flips, slides, turns) of a two-dimensional object.	n/a	
<b>4.G.A.7</b> Identify the radius and diameter of a circle.	See Grade 6 Chapter 14: 14-4	

	•

DATA AND PROBABILITY			
Grade 4 Content Standards	Sadlier Math, Grade 4		
Represent and solve problems for given data.			
<b>4.DP.A.1</b> Construct tables and bar graphs from given data.	See Grade 3 Chapter 12: 12-2		
<b>4.DP.A.2</b> Order a given set of data, find the median, mean, mode, and specify the range of values.	See Grade 6 Chapter 16: 16-2		
<b>4.DP.A.3</b> Solve problems using data presented in tables and bar graphs (compare data represented in two bar graphs and read bar graphs showing two data sets).	See Grade 3 Chapter 12: 12-3		
<b>4.DP.A.4</b> Predict the probability of the outcome in a simple event using visual models, ex. Find the probability of a given number when rolling a number cube.	See Grade 6 NY Lessons 18-3 & 18-4		

