
Sadlier School

Sadlier Math[™]

Correlation to the 2017 Massachusetts Mathematics Curriculum Framework

Grade 6



Learn more at www.SadlierSchool.com/SadlierMath

RATIOS AND PROPORTIONAL RELATIONSHIPS

6.RP

Grade 6 Content Standards Sadlier Math, Grade 6 A. Understand ratio concepts and use ratio reasoning to solve problems. Understand the concept of a ratio and use Chapter 10: 10-1 ratio language to describe a ratio relationship between two quantities. For example, "The ratio of wings to beaks in the bird house at the zoo was 2:1, because for every two wings there was one beak: For every vote candidate A received, candidate C received nearly three votes, meaning that candidate C received three out of every four votes or 34 of all votes." 2. Understand the concept of a unit rate a/b Chapter 10: 10-6 through 10-9 associated with a ratio a:b with $b \neq 0$, and use rate language in the context of a ratio relationship. For example: This recipe has a ratio of three cups of flour to four cups of sugar, so there is 3/4 cup of flour for each cup of sugar; We paid \$75 for 15 hamburgers, which is a rate of five dollars per hamburger."22 3. Use ratio and rate reasoning to solve real-world and mathematical problems, e.g., by reasoning about tables of equivalent ratios, tape diagrams, double number line diagrams, or equations. a. Make tables of equivalent ratios Chapter 10: 10-2, 10-5, 10-7, 10-9 & 10-10 relating quantities with whole-number

measurements. Find missing values in the tables, and plot the pairs of values on the coordinate plane. Use tables to compare

b. Solve unit rate problems, including those

involving unit pricing, and constant speed.

For example, if it took 7 hours to mow 4

lawns, then at that rate, how many lawns

continued

Chapter 10: 10-6 through 10-9

ratios.

²²Expectations for unit rates in this grade are limited to non-complex fractions.

RATIOS AND PROPORTIONAL RELATIONSHIPS

Grade 6 Content Standards

were lawns being mowed?

d. Use ratio reasoning to convert

could be mowed in 35 hours? At what rate

100 (e.g., 30% of a quantity means 30/100

measurement units within and between measurement systems; manipulate and transform units appropriately when multiplying or dividing quantities.

c. Find a percent of a quantity as a rate per

times the quantity); solve problems involving finding the whole, given a part

.RP	
.NS	
ns by	

THE NUMBER SYSTEM

and the percent.

Grade 6 Content Standards

Sadlier Math, Grade 6

Sadlier Math, Grade 6

A. Apply and extend previous understandings of multiplication and division to divide fraction fractions.

1. Interpret and compute quotients of fractions, and solve word problems involving division of fractions by fractions, e.g., by using visual fraction models and equations to represent the problem.

For example, create a story context for $(2/3) \div (3/4)$ and use a visual fraction model to show the quotient; use the relationship between multiplication and division to explain that $(2/3) \div (3/4) = 8/9$ because 3/4 of 8/9is 2/3. (In general, $(a/b) \div (c/d) = ad/bc$.) How much chocolate will each person get if 3 people share 1/2 lb of chocolate equally? How many 3/4-cup servings are in 2/3 of a cup of yogurt? How wide is a rectangular strip of

continued

Chapter 8: 8-3 through 8-11

Chapter 11: 11-1 through 11-10

Chapter 12: 12-1 through 12-4

Sadlier School

THE NUMBER SYSTEM

6.NS

	Grade 6 Content Standards	Sadlier Math, Grade 6
	land with length 3/4 mi and area 1/2 square mi?	
В.	Compute fluently with multi-digit numbers an	d find common factors and multiples.
2.	Fluently divide multi-digit numbers using the standard algorithm.	Chapter 3: 3-1
3.	Fluently add, subtract, multiply, and divide multi-digit decimals using the standard algorithm for each operation.	Chapter 1: 1-1 through 1-3 Chapter 2: 2-1 through 2-3 Chapter 3: 3-2 through 3-7
4.	Find the greatest common factor of two whole numbers less than or equal to 100 and the least common multiple of two whole numbers less than or equal to 12. Use the distributive property to express a sum of two whole numbers 1–100 with a common factor as a multiple of a sum of two whole numbers with no common factor.	Chapter 6: 6-1 through 6-4
	For example, express 36 + 8 as 4 (9 + 2).	

C. Apply and extend previous understandings of numbers to the system of rational numbers.

5. Understand that positive and negative numbers are used together to describe quantities having opposite directions or values (e.g., temperature above/below zero, elevation above/below sea level, credits/ debits, positive/negative electric charge); use positive and negative numbers to represent quantities in real-world contexts, explaining the meaning of 0 in each situation.

Chapter 9: 9-2

THE NUMBER SYSTEM

6.NS

		Grade 6 Content Standards	Sadlier Math, Grade 6
6.	6. Understand a rational number as a point on the number line. Extend number line diagrams and coordinate axes familiar from previous grades to represent points on the line and in the plane wire negative number coordinates.		
	a.	Recognize opposite signs of numbers as indicating locations on opposite sides of 0 on the number line; recognize that the opposite of the opposite of a number is the number itself, e.g., $-(-3) = 3$, and that 0 is its own opposite.	Chapter 9: 9-1
	b.	Understand signs of numbers in ordered pairs as indicating locations in quadrants of the coordinate plane; recognize that when two ordered pairs differ only by signs, the locations of the points are related by reflections across one or both axes.	Chapter 9: 9-8
	C.	Find and position integers and other rational numbers on a horizontal or vertical number line diagram; find and position pairs of integers and other rational numbers on a coordinate plane.	Chapter 9: 9-1 through 9-3, 9-5 through 9-11
7.	7. Understand ordering and absolute value of rational numbers.		
	a.	Interpret statements of inequality as statements about the relative position of two numbers on a number line diagram. For example, interpret -3 > -7 as a statement that -3 is located to the right of -7 on a number line oriented from left to right.	Chapter 9: 9-3 & 9-6
	b.	Write, interpret, and explain statements of order for rational numbers in real-world contexts. For example, write -3 °C > -7 °C to express	Chapter 9: 9-3 & 9-6
		. c. c. ampro, mice of or 7 of to express	

the fact that -3 °C is warmer than -7 °C.

All rights reserved. May be reproduced for educational use (not commercial use).
Sadlier Math™ is a trademark of William H. Sadlier, Inc.
Is and Sadlier are registered trademarks of William H. Sadlier, Inc.

THE NUMBER SYSTEM	6.NS
Grade 6 Content Standards	Sadlier Math, Grade 6
c. Understand the absolute value of a rational number as its distance from 0 on the number line; interpret absolute value as magnitude for a positive or negative quantity in a real-world situation.	Chapter 9: 9-3 & 9-4
For example, for an account balance of -30 dollars, write -30 = 30 to describe the size of the debt in dollars.	
d. Distinguish comparisons of absolute value from statements about order. For example, recognize that an account balance less than -30 dollars represents a debt greater than 30 dollars.	Chapter 9: 9-4
8. Solve real-world and mathematical problems by graphing points in all four quadrants of the coordinate plane. Include use of coordinates and absolute value to find distances between points with the same first coordinate or the same second coordinate.	Chapter 9: 9-7 through 9-11

EXPRESSIONS AND EQUATIONS

6.EE

Sadlier Math, Grade 6

A. Apply and extend previous understandings of arithmetic to algebraic expressions.

1. Write and evaluate numerical expressions involving whole-number exponents.

Chapter 4: 4-1 & 4-2

- 2. Write, read, and evaluate expressions in which letters stand for numbers.
 - a. Write expressions that record operations with numbers and with letters standing for numbers.

For example, express the calculation

"Subtract y from 5" as 5 - y.

Chapter 1: 1-4

Chapter 2: 2-4

Chapter 3: 3-8

Chapter 4: 4-2 through 4-9

Chapter 7: 7-5

Chapter 8: 8-10

EXPRESSIONS AND EQUATIONS		6.EE
Grade 6 Content Sta	ndards	Sadlier Math, Grade 6
b. Identify parts of an expres mathematical terms (sum factor, quotient, coefficier more parts of an expression	, term, product, nt); view one or	Chapter 1: 1-4 Chapter 2: 2-1 & 2-4 Chapter 3: 3-8 Chapter 4: 4-3
For example, describe the + 7) as a product of two fa 7) as both a single entity a terms.	actors; view (8 +	
c. Evaluate expressions at specific their variables. Include expressions at specific their variables. Include exproblems. Perform arithm including those involving exponents, in the convent when there are no parently a particular order (Order of For example, use the form	pressions that in real-world etic operations, whole- number ional order neses to specify of Operations).	Chapter 1: 1-5 Chapter 2: 2-5 Chapter 3: 3-9 Chapter 4: 4-2, 4-6, 4-8 & 4-9 Chapter 7: 7-5 Chapter 8: 8-10
A = 6 s² to find the volume area of a cube with sides		
3. Apply the properties of operations to generate equivalent expressions. For example, apply the distributive property to the expression 3 (2 + x) to produce the equivalent expression 6 + 3x; apply the distributive property to the expression 24x + 18y to produce the equivalent expression 6 (4x + 3y); apply properties of operations to y + y + y to produce the equivalent expression 3y.		Chapter 4: 4-7
4. Identify when two expression (i.e., when the two expression same number regardless of w substituted into them).	is name the	Chapter 4: 4-8

EXPRESSIONS AND EQUATIONS

6.EE

	Grade 6 Content Standards	Sadlier Math, Grade 6
	For example, the expressions $y + y + y$ and $3y$ are equivalent because they name the same number regardless of which number y stands for.	
B.	Reason about and solve one-variable equation	ns and inequalities.
5.	Understand solving an equation or inequality as a process of answering a question: which values from a specified set, if any, make the equation or inequality true? Use substitution to determine whether a given number in a specified set makes an equation or inequality true.	Chapter 5: 5-1 & 5-6
6.	Use variables to represent numbers and write expressions when solving a real-world or mathematical problem; understand that a variable can represent an unknown number, or, depending on the purpose at hand, any number in a specified set.	Chapter 4: 4-4 Chapter 5: 5-2 through 5-4, 5-7 through 5-9
7.	Solve real-world and mathematical problems by writing and solving equations of the form x + p = q and $px = q$ for cases in which p , $qand x are all nonnegative rational numbers.$	Chapter 5: 5-2 & 5-3 Chapter 7: 7-6 Chapter 8: 8-11
8.	Write an inequality of the form $x > c$ or $x < c$ to represent a constraint or condition in a real-world or mathematical problem. Recognize that inequalities of the form $x > c$ or $x < c$ have infinitely many solutions; represent solutions of such inequalities on number line diagrams.	Chapter 5: 5-5 through 5-8

Sadlier School

EXPRESSIONS AND EQUATIONS

6.EE

Grade 6 Content Standards

Sadlier Math, Grade 6

C. Represent and analyze quantitative relationships between dependent and independent variables.

9. Use variables to represent two quantities in a real-world problem that change in relationship to one another; write an equation to express one quantity, thought of as the dependent variable, in terms of the other quantity, thought of as the independent variable. Analyze the relationship between the dependent and independent variables using graphs and tables, and relate these to the equation.

For example, in a problem involving motion at constant speed, list and graph ordered pairs of distances and times, and write the equation d = 65t to represent the relationship between distance and time.

Chapter 13: 13-1 through 13-4

GEOMETRY 6.G

Grade 6 Content Standards

Sadlier Math, Grade 6

A. Solve real-world and mathematical problems involving area, surface area, and volume.

- 1. Find the area of right triangles, other triangles, special quadrilaterals, and polygons by composing into rectangles or decomposing into triangles and other shapes; apply these techniques in the context of solving real-world and mathematical problems.
- Chapter 14: 14-1 through 14-3, 14-5 & 14-6

2. Find the volume of a right rectangular prism with fractional edge lengths by packing it with unit cubes of the appropriate unit fraction edge lengths, and show that the

Chapter 15: 15-4 through 15-6

continued

GEOMETRY

OLOTILINI		
Grade 6 Content Standards	Sadlier Math, Grade 6	
volume is the same as would be found by multiplying the edge lengths of the prism. Apply the formulas $V = l w h$ and $V = b h$ to find volumes of right rectangular prisms with fractional edge lengths in the context of solving real-world and mathematical problems.		
3. Draw polygons in the coordinate plane given coordinates for the vertices; use coordinates to find the length of a side joining points with the same first coordinate or the same second coordinate. Apply these techniques in the context of solving real-world and mathematical problems.	Chapter 9: 9-10 & 9-11	
4. Represent three-dimensional figures using nets made up of rectangles and triangles, and use the nets to find the surface area of these figures. Apply these techniques in the context of solving real-world and mathematical problems.	Chapter 15: 15-1 through 15-3	
STATISTICS AND PROBABILITY 6.		
Grade 6 Content Standards	Sadlier Math, Grade 6	
A. Develop understanding of statistical variability.		
1. Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers. 5. (1) (1) (2) (2) (3) (4) (4) (4) (5) (5) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	Chapter 16: 16-1	
For example, "How old am I?" is not a		

students' ages.

statistical question, but "How old are the students in my school?" is a statistical

question because one anticipates variability in



S	STATISTICS AND PROBABILITY	
	Grade 6 Content Standards	Sadlier Math, Grade 6
2.	Understand that a set of data collected to answer a statistical question has a distribution which can be described by its center, spread, and overall shape.	Chapter 16: 16-2 through 16-5 Chapter 17: 17-2 & 17-4
3.	Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.	Chapter 16: 16-2 through 16-4
В.	Summarize and describe distributions.	
4.	Display numerical data in plots on a number line, including dot plots, histograms, and box plots.	Chapter 17: 17-1 through 17-3
5.	Summarize numerical data sets in relation to th	eir context, such as by:
	a. Reporting the number of observations.	Chapter 16: 16-2 through 16-5 Chapter 17: 17-1 through 17-4
	b. Describing the nature of the attribute under investigation, including how it was measured and its units of measurement.	Chapter 16: 16-2 through 16-5 Chapter 17: 17-1 through 17-4
	c. Giving quantitative measures of center (median and/or mean) and variability (interquartile range and/or mean absolute deviation), as well as describing any overall pattern and any striking deviations from the overall pattern with reference to the context in which the data were gathered.	Chapter 16: 16-2 through 16-5 Chapter 17: 17-1 through 17-4
	d. Relating the choice of measures of center and variability to the shape of the data distribution and the context in which the data were gathered.	Chapter 16: 16-2 through 16-5 Chapter 17: 17-1 through 17-4

Sadlier School